





URL: http://www.forcomtech.com.tw



# 3.5" Internal bay with 2.5" SATA HDD Slot, Dual Power e-SATA, 3 port USB HUB.

**Model No.: INHDPS** 

FORCOM

Features:

\*Extra 2.5" SATA HDD/ SSD slot for more and more data storage

\*USB2.0 3 port HUBs

\*Dual Power (5V/12V) e-SATA port for any external USB application and SATA HDD (2.5"/3.5") or SATA

Device without any extra power adaptor.

- \* Power over e-SATA connector: Offering SATA II Transfer Speed.
- \* Hardware Data Backup for 2.5" SATA HDD slot (backup with HDD in PC).
- \*HDD hot-swap support.
- \* 2 Working LED indicators

#### **Specifications:**

- \* USB2.0 high speed data transfer for USB2.0 3 port HUBs
- \* Daisy-chain connection up to 127 devices
- \* 2.5" SATA HDD/ SSD to USB2.0 slot
- \* PCCLONE Data backup function for 2.5" SATA HDD to USB2.0 function.

### Forcom Technology Co., Ltd.

Tel: +886-2-77296880 Fax: +8862-27585852

e-mail: info@forcomtech.com.tw

URL: http://www.forcomtech.com.tw

- \* Hotswap for 2.5" SATA HDD/ SDD slot
- \* Dual Power (5V/12V) e-SATA for USB external device or SATA Storage device.
- 1) SATA II Transfer speed if you connect with SATA storage device
- 2) USB external device can be used in Dual power e-SATA connector
- 3) 2.5"/ 3.5" SATA HDD to Power e-SATA Adaptor cable can be used with this product very conveniently and friendly.
- \* Plug and Play for all ports.

FORCOM

\* WinME, Windows 2000/ Windows XP/Vista/ WIN7, Mac OS

#### **APPLICATIONS in Power over e-SATA**

What is Power Over eSATA?



### **New Releasing**

5V/12V Power Over eSATA to 2.5"/3.5" SATA HDD Adapter

Device - 2.5"/3.5" SATA HDD Adapter (STPS25/ STPS35) Support 5V/12V Power Supply
Support 22 Pin SATA Adapter
Support 2.5" or 3.5" SATA HDD
Does not need Power Adapter
Support SATA II transfer rate

### Forcom Technology Co., Ltd.

Tel: +886-2-77296880 Fax: +8862-27585852

e-mail: info@forcomtech.com.tw

URL: http://www.forcomtech.com.tw

## **New Releasing**

Support 5V and 12V Power

Support 2.5" or 3.5" SATA HDD

Does not need Power Adapter

5V/12V Power Over eSATA to 2.5"/3.5" SATA Docking Station

Device - SATA HDD Docking Support SATA II rate **Station** 

FORCOM