

# Model No.: CBS952R2

## 2 ports RS-232 Card Bus Serial cards



### FEATURES

- Expands 2 independent RS-232 serial ports through 32-bit Card Bus slot
- High speed 16C950 compatible UART controller on-board
- On-chip hardware auto flow control to guarantee no data loss
- Each serial port has built-in 128K byte DMA software FIFO
- Supports to Hot-Swapping and Plug-n-Play function
- Simple and easy way to connect devices to your notebooks
- Certified by Microsoft WHQL,CE,FCC approval
- Support DOS, Linux, Microsoft Windows 98/ME/NT/2000/XP/2003 and Vista
- Ready of the Intel and AMD 32/64-bit CPU System

### Specifications

#### Serial communication

Interface	RS-232
Controller	OXFORD OX16mPCI952
Bus	PCMCIA Type II 32-bit Card Bus
No. of port	2 ports
Port Type	DB9 Male
PCB Connector	DB25 Male
IRQ & IO	Assigned by System
FIFO	128K byte FIFO
Baud rate	96bps ~ 230 ( 921 ) Kbps
Flow Control	None , Xon/Xoff , RTS/CTS

#### Driver Support

Microsoft	Windows 98/ME/NT/2000/XP/2003/Vista ( 32/64-bit )
Linux Kernel	2.4.x/2.6.x
DOS	DOS

#### Regulatory Approvals

Hardware	CE , FCC
Software	WHQL

**Operation Environment**

**Operation Temperature**

0 to 60°C

**Operation Humidity**

5 to 95% RH