



PCI 2 port Serial + 1 port Parallel

Model No.: M5232PR2

Feature:

- 2 independent RS-232 serial ports with communication speeds up to 230 (921) Kbps
- PCI compatible with 64/32-bit PCI-X/PCI Bus and 3.3/5V connector key
- High speed 16C950 compatible UART controller on-board
- Supper IEEE 1284 Parallel ports standard
ECP (Enhance Capacity Port) / EPP (Enhance Parallel Port)
- SPP (Standard Parallel Port)
- On-chip hardware auto flow control to guarantee no data loss
- Built-in 32 byte hardware FIFO & 128K byte DMA software FIFO
- Certified by Microsoft WHQL,CE,FCC approval
- Support DOS, Linux, Microsoft Windows 98/ME/NT/2000/XP/2003 and Vista
- Ready of the Intel and AMD 32/64-bit CPU System

Specifications

Serial communication

Interface	RS-232+Paralle
Controller	OXFORD OX16PCI952
Bus	32-bit PCI
No. of port	3 ports
Port Type	DB9 Male+ DB25 Female
IRQ & IO	Assigned by System



Forcom Technology Co., Ltd.

Tel: +886-2-77296880 Fax: +886-2-270535495

e-mail: finfo@forcomtech.com.tw

URL: <http://www.forcomtech.com.tw>

FIFO	32 byte Hardware & 128K byte DMA FIFO
Baud rate	96bps ~ 230 (921) Kbps
Flow Control	None , Xon/Xoff , RTS/CTS
Baud Rate	up to 1.5Mbps/s
Mode	SPP/EPP/ECP

Driver Support

Microsoft	Windows 98/ME/NT/2000/XP/2003/Vista (32/64-bit)
Linux Kernel	2.4.x/2.6.x
DOS	DOS

Regulatory Approvals

Hardware	CE , FCC
Software	WHQL

Operation Environment

Operation Temperature	0 to 60°C
Operation Humidity	5 to 95% RH